

SUPPLEMENTARY DIGITAL MATERIAL 6

The following pages provide the conversion of the ISYQOL international **from the total score to the logit measure**. The score-to-measure table of the spine health domain and that of the full questionnaire (spine health plus brace domain) are given for each country.

Italy and Spain share the same conversions based on the DIF analysis explained in the main text.

Remember that the questionnaire total score reflects the number and severity of the problems caused to a patient by the disease and its treatments. Thus, the larger the number of issues, the higher the total score and the lower the quality of life. In accordance, the larger the number of problems, **the higher the total score, the more positive the logit measure and the lower the quality of life** (see Figure 1 in the main text).

Italy and Spain

Full questionnaire

| Score | HRQOL Measure, logit | SE |
|--------------|-----------------------------|-----------|
| 0 | -6.12 | 1.88 |
| 1 | -4.79 | 1.09 |
| 2 | -3.92 | 0.82 |
| 3 | -3.35 | 0.70 |
| 4 | -2.91 | 0.63 |
| 5 | -2.54 | 0.58 |
| 6 | -2.22 | 0.55 |
| 7 | -1.93 | 0.52 |
| 8 | -1.67 | 0.50 |
| 9 | -1.43 | 0.49 |
| 10 | -1.20 | 0.48 |
| 11 | -0.97 | 0.47 |
| 12 | -0.76 | 0.46 |
| 13 | -0.55 | 0.45 |
| 14 | -0.35 | 0.45 |
| 15 | -0.15 | 0.45 |
| 16 | 0.05 | 0.45 |
| 17 | 0.25 | 0.45 |
| 18 | 0.45 | 0.45 |
| 19 | 0.65 | 0.45 |
| 20 | 0.85 | 0.45 |
| 21 | 1.06 | 0.46 |
| 22 | 1.27 | 0.46 |
| 23 | 1.49 | 0.47 |
| 24 | 1.71 | 0.48 |
| 25 | 1.96 | 0.50 |
| 26 | 2.22 | 0.52 |
| 27 | 2.50 | 0.55 |
| 28 | 2.83 | 0.59 |
| 29 | 3.22 | 0.66 |
| 30 | 3.73 | 0.78 |
| 31 | 4.53 | 1.05 |
| 32 | 5.80 | 1.85 |

Italy and Spain

Spine health domain

| Score | HRQOL Measure, logit | SE |
|--------------|-----------------------------|-----------|
| 0 | -4.96 | 1.89 |
| 1 | -3.60 | 1.11 |
| 2 | -2.67 | 0.85 |
| 3 | -2.04 | 0.75 |
| 4 | -1.53 | 0.69 |
| 5 | -1.08 | 0.65 |
| 6 | -0.68 | 0.62 |
| 7 | -0.31 | 0.60 |
| 8 | 0.05 | 0.59 |
| 9 | 0.40 | 0.58 |
| 10 | 0.73 | 0.58 |
| 11 | 1.07 | 0.58 |
| 12 | 1.41 | 0.59 |
| 13 | 1.77 | 0.61 |
| 14 | 2.15 | 0.64 |
| 15 | 2.59 | 0.69 |
| 16 | 3.14 | 0.80 |
| 17 | 3.97 | 1.06 |
| 18 | 5.26 | 1.86 |

English Canada

Full questionnaire

| Score | HRQOL Measure, logit | SE |
|--------------|-----------------------------|-----------|
| 0 | -6.14 | 1.88 |
| 1 | -4.80 | 1.09 |
| 2 | -3.94 | 0.81 |
| 3 | -3.38 | 0.70 |
| 4 | -2.94 | 0.63 |
| 5 | -2.58 | 0.58 |
| 6 | -2.27 | 0.55 |
| 7 | -1.98 | 0.52 |
| 8 | -1.72 | 0.50 |
| 9 | -1.48 | 0.48 |
| 10 | -1.25 | 0.47 |
| 11 | -1.03 | 0.46 |
| 12 | -0.82 | 0.46 |
| 13 | -0.62 | 0.45 |
| 14 | -0.41 | 0.45 |
| 15 | -0.21 | 0.45 |
| 16 | -0.02 | 0.45 |
| 17 | 0.18 | 0.45 |
| 18 | 0.38 | 0.45 |
| 19 | 0.58 | 0.45 |
| 20 | 0.78 | 0.45 |
| 21 | 0.99 | 0.46 |
| 22 | 1.20 | 0.46 |
| 23 | 1.42 | 0.47 |
| 24 | 1.65 | 0.48 |
| 25 | 1.89 | 0.50 |
| 26 | 2.15 | 0.52 |
| 27 | 2.44 | 0.55 |
| 28 | 2.76 | 0.60 |
| 29 | 3.16 | 0.66 |
| 30 | 3.67 | 0.78 |
| 31 | 4.47 | 1.05 |
| 32 | 5.75 | 1.86 |

English Canada

Spine health domain

| Score | HRQOL Measure, logit | SE |
|--------------|-----------------------------|-----------|
| 0 | -5.01 | 1.88 |
| 1 | -3.66 | 1.10 |
| 2 | -2.75 | 0.84 |
| 3 | -2.13 | 0.74 |
| 4 | -1.63 | 0.68 |
| 5 | -1.19 | 0.64 |
| 6 | -0.79 | 0.62 |
| 7 | -0.42 | 0.60 |
| 8 | -0.06 | 0.59 |
| 9 | 0.28 | 0.59 |
| 10 | 0.62 | 0.58 |
| 11 | 0.96 | 0.58 |
| 12 | 1.31 | 0.59 |
| 13 | 1.66 | 0.61 |
| 14 | 2.05 | 0.64 |
| 15 | 2.49 | 0.69 |
| 16 | 3.04 | 0.80 |
| 17 | 3.87 | 1.07 |
| 18 | 5.17 | 1.86 |

French Canada

Full questionnaire

| Score | HRQOL Measure, logit | SE |
|-------|----------------------|------|
| 0 | -6.23 | 1.87 |
| 1 | -4.91 | 1.08 |
| 2 | -4.06 | 0.81 |
| 3 | -3.51 | 0.69 |
| 4 | -3.08 | 0.63 |
| 5 | -2.71 | 0.58 |
| 6 | -2.39 | 0.55 |
| 7 | -2.11 | 0.53 |
| 8 | -1.84 | 0.51 |
| 9 | -1.59 | 0.49 |
| 10 | -1.36 | 0.48 |
| 11 | -1.13 | 0.47 |
| 12 | -0.91 | 0.46 |
| 13 | -0.70 | 0.46 |
| 14 | -0.49 | 0.45 |
| 15 | -0.29 | 0.45 |
| 16 | -0.09 | 0.45 |
| 17 | 0.11 | 0.45 |
| 18 | 0.32 | 0.45 |
| 19 | 0.52 | 0.45 |
| 20 | 0.72 | 0.45 |
| 21 | 0.93 | 0.46 |
| 22 | 1.15 | 0.47 |
| 23 | 1.37 | 0.47 |
| 24 | 1.60 | 0.49 |
| 25 | 1.84 | 0.50 |
| 26 | 2.11 | 0.53 |
| 27 | 2.40 | 0.56 |
| 28 | 2.73 | 0.60 |
| 29 | 3.12 | 0.66 |
| 30 | 3.64 | 0.78 |
| 31 | 4.44 | 1.05 |
| 32 | 5.73 | 1.86 |

French Canada

Spine health domain

| Score | HRQOL Measure, logit | SE |
|-------|----------------------|------|
| 0 | -5.26 | 1.88 |
| 1 | -3.92 | 1.10 |
| 2 | -3.01 | 0.85 |
| 3 | -2.37 | 0.75 |
| 4 | -1.85 | 0.70 |
| 5 | -1.39 | 0.66 |
| 6 | -0.96 | 0.64 |
| 7 | -0.57 | 0.62 |
| 8 | -0.20 | 0.61 |
| 9 | 0.16 | 0.60 |
| 10 | 0.52 | 0.59 |
| 11 | 0.87 | 0.59 |
| 12 | 1.22 | 0.60 |
| 13 | 1.58 | 0.61 |
| 14 | 1.98 | 0.65 |
| 15 | 2.43 | 0.70 |
| 16 | 2.99 | 0.81 |
| 17 | 3.83 | 1.07 |
| 18 | 5.13 | 1.86 |

Greece

Full questionnaire

| Score | HRQOL Measure, logit | SE |
|-------|----------------------|------|
| 0 | -6.18 | 1.87 |
| 1 | -4.85 | 1.08 |
| 2 | -3.99 | 0.81 |
| 3 | -3.43 | 0.70 |
| 4 | -2.99 | 0.63 |
| 5 | -2.62 | 0.59 |
| 6 | -2.30 | 0.55 |
| 7 | -2.01 | 0.53 |
| 8 | -1.74 | 0.51 |
| 9 | -1.48 | 0.49 |
| 10 | -1.25 | 0.48 |
| 11 | -1.02 | 0.47 |
| 12 | -0.80 | 0.46 |
| 13 | -0.59 | 0.46 |
| 14 | -0.38 | 0.45 |
| 15 | -0.18 | 0.45 |
| 16 | 0.02 | 0.45 |
| 17 | 0.22 | 0.45 |
| 18 | 0.42 | 0.45 |
| 19 | 0.62 | 0.45 |
| 20 | 0.82 | 0.45 |
| 21 | 1.02 | 0.45 |
| 22 | 1.23 | 0.46 |
| 23 | 1.45 | 0.47 |
| 24 | 1.67 | 0.48 |
| 25 | 1.91 | 0.50 |
| 26 | 2.17 | 0.52 |
| 27 | 2.45 | 0.55 |
| 28 | 2.78 | 0.59 |
| 29 | 3.17 | 0.66 |
| 30 | 3.67 | 0.78 |
| 31 | 4.47 | 1.05 |
| 32 | 5.75 | 1.86 |

Greece

Spine health domain

| Score | HRQOL Measure, logit | SE |
|-------|----------------------|------|
| 0 | -5.13 | 1.88 |
| 1 | -3.77 | 1.11 |
| 2 | -2.84 | 0.86 |
| 3 | -2.19 | 0.77 |
| 4 | -1.65 | 0.71 |
| 5 | -1.17 | 0.67 |
| 6 | -0.75 | 0.64 |
| 7 | -0.36 | 0.61 |
| 8 | 0.00 | 0.59 |
| 9 | 0.35 | 0.58 |
| 10 | 0.68 | 0.58 |
| 11 | 1.01 | 0.58 |
| 12 | 1.35 | 0.58 |
| 13 | 1.70 | 0.60 |
| 14 | 2.08 | 0.63 |
| 15 | 2.51 | 0.69 |
| 16 | 3.06 | 0.80 |
| 17 | 3.88 | 1.06 |
| 18 | 5.17 | 1.86 |

Poland

Full questionnaire

| Score | HRQOL Measure, logit | SE |
|--------------|-----------------------------|-----------|
| 0 | -6.24 | 1.88 |
| 1 | -4.89 | 1.10 |
| 2 | -4.00 | 0.84 |
| 3 | -3.40 | 0.72 |
| 4 | -2.92 | 0.65 |
| 5 | -2.53 | 0.60 |
| 6 | -2.19 | 0.57 |
| 7 | -1.89 | 0.53 |
| 8 | -1.62 | 0.51 |
| 9 | -1.37 | 0.49 |
| 10 | -1.14 | 0.47 |
| 11 | -0.93 | 0.46 |
| 12 | -0.72 | 0.45 |
| 13 | -0.53 | 0.44 |
| 14 | -0.34 | 0.43 |
| 15 | -0.15 | 0.43 |
| 16 | 0.04 | 0.43 |
| 17 | 0.22 | 0.43 |
| 18 | 0.41 | 0.44 |
| 19 | 0.60 | 0.44 |
| 20 | 0.80 | 0.45 |
| 21 | 1.00 | 0.45 |
| 22 | 1.21 | 0.46 |
| 23 | 1.43 | 0.47 |
| 24 | 1.66 | 0.49 |
| 25 | 1.90 | 0.50 |
| 26 | 2.17 | 0.52 |
| 27 | 2.46 | 0.55 |
| 28 | 2.79 | 0.60 |
| 29 | 3.18 | 0.66 |
| 30 | 3.70 | 0.78 |
| 31 | 4.50 | 1.05 |
| 32 | 5.78 | 1.86 |

Poland

Spine health domain

| Score | HRQOL Measure, logit | SE |
|--------------|-----------------------------|-----------|
| 0 | -5.35 | 1.92 |
| 1 | -3.91 | 1.16 |
| 2 | -2.90 | 0.90 |
| 3 | -2.21 | 0.77 |
| 4 | -1.67 | 0.70 |
| 5 | -1.22 | 0.65 |
| 6 | -0.81 | 0.62 |
| 7 | -0.44 | 0.60 |
| 8 | -0.08 | 0.59 |
| 9 | 0.26 | 0.59 |
| 10 | 0.61 | 0.59 |
| 11 | 0.95 | 0.59 |
| 12 | 1.30 | 0.60 |
| 13 | 1.67 | 0.62 |
| 14 | 2.07 | 0.65 |
| 15 | 2.52 | 0.70 |
| 16 | 3.08 | 0.81 |
| 17 | 3.92 | 1.07 |
| 18 | 5.22 | 1.86 |

Turkey

Full questionnaire

| Score | HRQOL Measure, logit | SE |
|-------|----------------------|------|
| 0 | -6.27 | 1.87 |
| 1 | -4.95 | 1.07 |
| 2 | -4.11 | 0.80 |
| 3 | -3.57 | 0.69 |
| 4 | -3.14 | 0.62 |
| 5 | -2.79 | 0.58 |
| 6 | -2.47 | 0.55 |
| 7 | -2.19 | 0.52 |
| 8 | -1.93 | 0.50 |
| 9 | -1.68 | 0.49 |
| 10 | -1.44 | 0.48 |
| 11 | -1.22 | 0.47 |
| 12 | -1.00 | 0.46 |
| 13 | -0.78 | 0.46 |
| 14 | -0.57 | 0.46 |
| 15 | -0.37 | 0.45 |
| 16 | -0.16 | 0.45 |
| 17 | 0.04 | 0.45 |
| 18 | 0.25 | 0.45 |
| 19 | 0.45 | 0.45 |
| 20 | 0.66 | 0.46 |
| 21 | 0.87 | 0.46 |
| 22 | 1.09 | 0.47 |
| 23 | 1.31 | 0.48 |
| 24 | 1.55 | 0.49 |
| 25 | 1.79 | 0.51 |
| 26 | 2.06 | 0.53 |
| 27 | 2.35 | 0.56 |
| 28 | 2.68 | 0.60 |
| 29 | 3.08 | 0.67 |
| 30 | 3.60 | 0.78 |
| 31 | 4.40 | 1.06 |
| 32 | 5.69 | 1.86 |

Turkey

Spine health domain

| Score | HRQOL Measure, logit | SE |
|-------|----------------------|------|
| 0 | -5.12 | 1.88 |
| 1 | -3.77 | 1.10 |
| 2 | -2.87 | 0.84 |
| 3 | -2.25 | 0.74 |
| 4 | -1.74 | 0.69 |
| 5 | -1.29 | 0.65 |
| 6 | -0.88 | 0.63 |
| 7 | -0.49 | 0.61 |
| 8 | -0.13 | 0.60 |
| 9 | 0.22 | 0.59 |
| 10 | 0.56 | 0.58 |
| 11 | 0.90 | 0.58 |
| 12 | 1.24 | 0.59 |
| 13 | 1.60 | 0.61 |
| 14 | 1.98 | 0.64 |
| 15 | 2.42 | 0.69 |
| 16 | 2.97 | 0.80 |
| 17 | 3.80 | 1.07 |
| 18 | 5.10 | 1.86 |