

SHORT COMMUNICATION

Oncology professionals' perceptions and recommendations to improve well-being and health at work in times of crisis: qualitative thematic analysis from the ESMO Resilience Task Force survey series

C. Hardy¹, E. Thorne^{1,2}, M. O'Connor³, E. Élez⁴, K. Kamposioras⁵, K. Punie⁶, C. Oing^{7,8}, K. Murali⁹, J. B. A. G. Haanen¹⁰, K. H. J. Lim^{11,12} & S. Banerjee^{13,14*}, on behalf of the ESMO Resilience Task Force

¹Division of Health Research, Faculty of Health and Medicine, Lancaster University, Lancaster; ²Example Coaching and Consulting Ltd., Ukfield, UK; ³Breast Cancer Centre, University Hospital Waterford, Waterford, Ireland; ⁴Vall d'Hebron Institute of Oncology, Vall d'Hebron Barcelona Hospital Campus, Universitat Autònoma de Barcelona, Barcelona, Spain; ⁵Department of Medical Oncology, The Christie NHS Foundation Trust, Manchester, UK; ⁶Department of Medical Oncology, Ziekenhuis aan de Stroom, Antwerp, Belgium; ⁷Translational and Clinical Research Institute, Centre for Cancer, Newcastle University, Newcastle upon Tyne; ⁸Northern Centre for Cancer Care, The Newcastle upon Tyne Hospitals NHS Foundation Trust, Newcastle upon Tyne, UK; ⁹Victorian Clinical Genetics Services & Murdoch Children's Research Institute, The Royal Children's Hospital, Melbourne, Australia; ¹⁰Division of Medical Oncology, Netherlands Cancer Institute, Amsterdam, The Netherlands; ¹¹Advanced Immunotherapy and Cell Therapy Team, The Christie NHS Foundation Trust, Manchester; ¹²Division of Cancer Sciences, Faculty of Biology, Medicine and Health, The University of Manchester, Manchester; ¹³Gynaecology Unit, The Royal Marsden NHS Foundation Trust, London; ¹⁴Division of Clinical Studies, The Institute of Cancer Research, London, UK



Available online 12 March 2025

Background: The European Society for Medical Oncology (ESMO) Resilience Task Force (RTF) was established to address burnout and well-being issues among oncology professionals. In this article, we present findings on shared perceptions and recommendations to support and improve oncology professionals' well-being and health at work.

Materials and methods: Inductive thematic analysis of qualitative responses from three global ESMO RTF surveys (2020–2021) was conducted using Braun and Clarke's six-step approach. Open-ended questions elicited suggestions, including descriptions of 'pleasant physical working conditions' in the third survey. Respondents ($n = 989$) were gender-balanced, from 90 countries, with half practising in Europe. Most were of white ethnicity, worked in medical oncology, and had over 10 years of experience.

Results: Six main themes described help and support needs from oncology professionals: training, education, information and learning; well-being; activism and advocacy; financial support; safety; and opportunities and career. Six additional themes described factors contributing to a 'pleasant physical working environment': physical working environment; working conditions and job role; safety; well-being and coping; working relations and support from others; and career and professional development.

Conclusions: This is the largest global qualitative analysis of oncology professionals' needs during the coronavirus disease 2019 (COVID-19) pandemic, offering actionable recommendations for ESMO and other stakeholders to address work-related issues. Addressing these needs can foster resilience, improve working conditions, and promote better health and well-being.

Key words: oncologists, well-being, COVID-19, burnout, resilience

INTRODUCTION

The European Society for Medical Oncology (ESMO) Resilience Task Force (RTF) was established in 2019 to address burnout and poor well-being issues among oncology

professionals.¹ In response to the coronavirus disease 2019 (COVID-19) pandemic, three global surveys (2020–2021) were conducted to assess its impact on oncology professionals, revealing high levels of burnout and poor well-being, despite sustained resilience.^{2–4} In this article, we present a qualitative analysis of these surveys' open-ended responses, offering insights into these professionals' experiences and providing recommendations for improving well-being at work. The key objective is to explore key well-being factors and provide evidence-based actionable recommendations for ESMO and other stakeholders.

*Correspondence to: Prof. Susana Banerjee, Team Leader in Women's Cancers, The Royal Marsden NHS Foundation Trust and Institute of Cancer Research, 203 Fulham Road, London SW3 6JJ, UK
E-mail: Susana.Banerjee@rmh.nhs.uk (S. Banerjee).

2059-7029/© 2025 Published by Elsevier Ltd on behalf of European Society for Medical Oncology. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

MATERIALS AND METHODS

Thematic analysis (TA) was carried out on qualitative responses to optional open-ended survey questions included in three ESMO RTF online surveys.²⁻⁴ Questions asked included the following: 'What would help you? Do you have any suggestions about how ESMO can help support you during COVID-19?'. Due to frequently occurring responses in surveys I and II,^{2,3} an additional question asking what aspects of the 'pleasant physical working conditions' would help was also included in the final survey.⁴ Responses from these anonymous surveys were imported into QSR NVivo (Lumivero: (version 12) for analysis.

Following Braun and Clarke's⁵ six-step approach, TA involved familiarisation with the data, initial coding, theme development, theme review, theme definition, and reporting. Themes were considered as 'summaries of what participants said in relation to a particular topic or data collection question'⁶ (p. 5). Adopting an essentialist theoretical stance, data analysis was conducted at an explicit, surface-level meaning, assuming a unidirectional relationship between language and experience.⁷ An inductive, data-driven approach was used to determine themes based on their prevalence. The TA was led by an experienced organisational health and well-being researcher (ET), who developed initial codes and themes. These were reviewed and discussed with other ESMO RTF members experienced in qualitative research (KHJL, CH, SB) to ensure consistency of interpretation. Themes were then shared with the entire ESMO RTF for additional input and discussion. ESMO RTF members' positionalities are summarised in [Supplementary Table S1](https://doi.org/10.1016/j.esmoop.2025.104298), available at <https://doi.org/10.1016/j.esmoop.2025.104298>, which aided reflexivity in the analysis process.

RESULTS

In total, there were $n = 989$ respondents from the three surveys who provided text responses to the open-ended survey questions, as summarised in [Table 1](https://doi.org/10.1016/j.esmoop.2025.104298) (see [Supplementary Table S2](https://doi.org/10.1016/j.esmoop.2025.104298), available at <https://doi.org/10.1016/j.esmoop.2025.104298>, for detailed breakdown; response rate 26.5%, $n = 989/3731$). The age distribution was wide, with the largest representation between 31 and 40 years. Gender was evenly split between males (49%, $n = 485$) and females (51%, $n = 502$). Almost two-thirds of respondents identified as white (57%, $n = 575$), and a quarter as Asian (26%, $n = 266$). Respondents were uniformly distributed between Europe and non-European countries, spanning $n = 90$ countries ($n = 28$ in Europe, $n = 62$ outside). Nearly 20% of respondent were trainees ($n = 160$), with nearly two-thirds ($n = 548$) having had over 10 years of professional practice experience in oncology. Most were practising medical oncologists, with the majority working in general hospitals or cancer centres.

Six themes were identified regarding how oncology professionals could be supported. Six additional themes were developed from survey 3 to include key influential aspects of these workers' 'pleasant physical working environment'. [Figure 1](https://doi.org/10.1016/j.esmoop.2025.104298) illustrates these themes and provides example

Table 1. Demographics of respondents ($n = 989$)

Characteristic	Overall % (n)
Age group (years)	21-25 years: 1.0% ($n = 9$), 26-30 years: 5.0% ($n = 50$), 31-35 years: 15.9% ($n = 155$), 36-40 years: 17.4% ($n = 168$), 41-45 years: 13.3% ($n = 132$), 46-50 years: 12.7% ($n = 128$), 51-55 years: 11.7% ($n = 117$), 56-60 years: 11.7% ($n = 117$), 61-65 years: 6.1% ($n = 61$), 66-70 years: 3.1% ($n = 30$), >70 years: 2.2% ($n = 22$)
Gender/sex	Female: 50.8% ($n = 502$), male: 49.0% ($n = 485$), other: 0.2% ($n = 2$)
Ethnicity	Arab: 3.2% ($n = 32$), Asian: 26.4% ($n = 266$), black: 2.4% ($n = 24$), mixed: 2.0% ($n = 20$), white: 57.1% ($n = 575$), other: 3.2% ($n = 32$), prefer not to say: 0.8% ($n = 8$)
Country of practice	Europe = 48.7% ($n = 480$), outside Europe = 51.3% ($n = 506$)
Trainee status	No = 84.0% ($n = 829$), yes = 16.0% ($n = 160$)
Experience of oncology practice	<5 years: 17.4% ($n = 154$), 5-10 years: 19.1% ($n = 173$), >10 years: 63.5% ($n = 548$)
Specialty	Medical oncology: 81.9% ($n = 676$), clinical/radiation oncology: 28.7% ($n = 237$), surgical oncology: 3.0% ($n = 25$), hemato-oncology: 11.3% ($n = 93$), palliative care: 7.9% ($n = 65$), nursing: 1.3% ($n = 11$), laboratory based: 4.6% ($n = 38$), other: 9.7% ($n = 80$)
Primary place of work	Cancer centre (cancer patients only): 38.2% ($n = 378$), general hospital (cancer patients and other specialties): 48.0% ($n = 475$), health care organisation: 1.4% ($n = 14$), pharmaceutical/biotechnology company: 2.2% ($n = 22$), private outpatient clinic: 4.7% ($n = 46$), other: 5.5% ($n = 54$)

Percentages calculated on the number of respondents for the survey question; some categories allowed respondents to select multiple options and total % may therefore equal over 100 (e.g. specialty).

quotes. Each theme is discussed in the following sections in order of their prevalence.

Training, education, information, and learning

The most prevalent theme identified was the need for education, information, and training support from ESMO so oncologists can continue learning. Respondents suggested several ways ESMO could assist them, including online learning materials, webinars (including webinars on COVID-19 and cancer), preceptorships and advanced online courses, research methodology training, educational materials in various languages, continuing medical education (CME), podcasts, and hosting congresses and other conferences/events online to improve accessibility to such resources.

Additionally, many respondents indicated that updates on current research regarding the interaction of COVID-19 and cancer, as well as general cancer treatments, would be beneficial. They particularly valued critical appraisals of research and condensed research summaries. Evidence-based guidelines and recommendations from ESMO on treatment protocols for patients with cancer, including those with COVID-19, were among the most requested forms of support. Guidance on research and clinical trials was also sought.



Figure 1. Perception and recommendations for help and support of oncology professionals and pleasant physical working conditions (themes and example quotes).

COVID-19, coronavirus disease 2019; ESMO, European Society for Medical Oncology; PPE, personal protective equipment.

Respondents also highlighted the importance of opportunities to share experiences and information on how members are managing cancer treatment in different regions with other oncologists and health care professionals. They suggested that ESMO could facilitate this exchange of information, as well as share results from ESMO surveys to aid learning.

Many members expressed concern about ESMO providing further educational and learning opportunities, such as online courses on topics like CME. They suggested that learning or training be provided in the form of videos, online content, and webinars, as these formats are the most accessible during the COVID-19 pandemic. There was also a preference for holding ESMO meetings, conferences, and exams in a virtual/online format.

Respondents emphasised the need to stay updated with the latest developments in evidence-based COVID-19 and oncology research, particularly through short, easy-to-read summaries. Expert-led, evidence-based guidance and recommendations from ESMO regarding treatment guidelines for oncology patients during the COVID-19 pandemic were also requested. Sharing knowledge and experiences between countries and oncology professionals, as well as disseminating learning from ESMO surveys, was deemed crucial.

Well-being

This theme of well-being included different ways ESMO could support the emotional, psychological, and physical

health of members. Respondents suggested that ESMO could provide information on managing burnout and stress, relaxation strategies, effective communication with colleagues and patients, peer-to-peer mentoring, positive and motivational messages, psychological support and online counselling, online support programmes, motivational apps, yoga and meditation online classes, mindfulness practices, and information on adjusting to a 'new' normal.

Respondents also emphasised the importance of relationships with others, suggesting that sharing experiences and coping strategies with other oncologists, and having online mentors for young oncologists, would be beneficial. They highlighted that sharing experiences and coping strategies with others would be helpful for mutual learning and support.

Activism and advocacy

Respondents suggested that ESMO should advocate for the oncology profession by providing correct, scientific evidence-based information and guidelines for treating patients with cancer, and highlighting the impact of stopping treatment. Additionally, advocating for the welfare and well-being of the oncology workforce was deemed important. It was suggested that ESMO could address discrimination and stigma among health care professionals, such as dispelling myths about the origins of COVID-19 and supporting more female doctors in decision-making roles.

Furthermore, respondents recommended that ESMO acknowledge the contributions made by members during

the pandemic, particularly the roles played by charities, nurses, and pharmacists, as some felt these groups were overlooked.

Respondents also proposed that ESMO could advocate for members in various areas, such as workloads at their organisations, by engaging with governments and participating in climate change discussions. Many respondents felt that appropriate working hours and workloads were not being implemented at their institutions and that guidance from ESMO would be beneficial. Additionally, they suggested that ESMO engage with governments on behalf of members to advocate for health care professionals' needs and provide expert-led information on COVID-19.

Financial support

This theme included suggestions such as decreasing or deferring membership fees, free event registration for training and the ESMO congress, research grants, free access to oncology journals, and fellowship funding. There were also specific suggestions to provide financial support to individuals from developing countries.

Safety

This theme included suggestions for ESMO to support members by donating personal protective equipment (PPE), providing evidence-based and timely updates on safety protocols, educating individuals on safety precautions such as wearing masks and vaccinations, and pushing for access to COVID-19 testing. Additionally, respondents suggested that ESMO provide updates regarding changes to the safety of oncology services in relation to COVID-19.

Opportunities and career

Although the smallest theme, suggestions for opportunities and career development were raised. It was suggested that ESMO create more opportunities for online networking, socialising, involvement in research and clinical trials, and activities for young oncologists. Additionally, respondents suggested postponing fellowships, assisting with the recruitment of oncologists, and providing virtual networking opportunities.

'Pleasant physical working environment'

Six additional interconnected themes included reflections on influential factors related to their working environment and how to make it more 'pleasant' (Figure 1).

Physical working environment. Respondents reported several changes to the physical environment of their workplaces that would contribute to a more pleasant working environment. They emphasised the importance of access to outdoor spaces and well-ventilated indoor areas with fresh air. Many respondents highlighted the significance of ample natural light, well-designed wall spaces, and artwork indoors, along with the ability to control temperature settings. Noise levels were also a concern, with many suggesting the need for designated quiet spaces for focused work and relaxation.

The most frequently suggested improvement for a pleasant working environment was having more space. Respondents expressed concerns about social distancing requirements and the need for adequate space to work efficiently, see patients, and relax during breaks. Many felt that current workplaces were overcrowded and noisy, which hindered their effectiveness.

Respondents also proposed several amenities they would find beneficial in their workplaces, such as designated areas for relaxation, rest, or even sleeping. These areas were envisioned as calm, clean, and quiet spaces, possibly offering access to refreshments like tea and coffee. Additionally, there was a desire for convenient access to healthy meal choices. Lastly, respondents highlighted the need for private areas where they could work independently, discuss sensitive topics with patients, or simply relax.

Lastly, access to suitable equipment and furniture was identified as crucial. Some respondents expressed dissatisfaction with their current IT systems, describing them as inadequate and lacking sufficient support. They emphasised the importance of reliable wi-fi, laptops, and teleconferencing software. Ergonomic furniture, including comfortable chairs and properly adjusted computer setups to prevent injury, was also suggested.

Working conditions and job role. Respondents highlighted factors in their work conditions and job roles that contribute to working environments being 'pleasant', including control over workload, adequate staffing, flexible working patterns, and sufficient breaks. Many face challenges such as staff shortages, longer hours, and high patient volumes, which contribute to stress and burnout. They emphasised the need for flexibility in work hours and location, such as blended home and workplace arrangements, to manage workloads effectively and reduce overtime. Lastly, taking adequate breaks for refreshments, relief from PPE, and socialising with colleagues during the workday were emphasised as important.

Safety. Safety and access to hygienic spaces were major concerns for respondents. Many emphasised the importance of adequate access to PPE for creating a safe working environment. They also stressed the need for sufficient space for social distancing, facilities for personal hygiene (such as hand washing stations), regular COVID-19 testing, and vaccinations for all health care professionals to maintain safety.

Well-being and coping. Respondents emphasised that measures to support health and well-being would help create pleasant working conditions. They suggested that psychological and emotional support, including access to counsellors and psychologists, mindfulness programmes, self-care strategies, and online support groups, would be beneficial. Physical well-being suggestions included time and space for exercise at work, and activities such as yoga, gym sessions, and aerobics classes were proposed. Respondents further stressed the importance of respecting individuals' time off and maintaining clear work-life

boundaries to allow for uninterrupted leisure and family time.

Working relations and support from others. Developing positive relationships with colleagues, managers, and institutions was highlighted as crucial for creating pleasant working conditions. Respondents stressed the importance of having time and space to socialise with colleagues both inside and outside of work to debrief, discuss clinical matters, and share experiences. This was seen as essential for fostering teamwork, combating loneliness, and reducing stress. Additionally, support from managers and senior management in institutions was cited as beneficial. Feeling supported, respected, and listened to by leadership contributed significantly to respondents' overall sense of support in their workplaces.

Career and professional development. Respondents highlighted several factors contributing to pleasant working conditions related to education, training, and professional development. They emphasised the importance of financial rewards such as better pay, as well as opportunities for education and training. A primary concern raised was the lack of time available for professional development activities.

DISCUSSION AND CONCLUSIONS

This study represents the largest global qualitative analysis of oncology professionals' perceptions and needs during the COVID-19 pandemic. These findings present comprehensive recommendations for ESMO and policymakers at national

and international levels, complementing quantitative data from member surveys through richer, in-depth insights into their findings.²⁻⁴ It offers actionable recommendations for ESMO and policymakers to improve workplace conditions and enhance resilience in the oncology workforce. Addressing the identified needs—such as flexible work conditions, mental health support, and safety protocols—can help create more supportive and pleasant work environments for oncology professionals. Although some recommendations, particularly those at institutional or societal levels, pose challenges, they represent crucial areas for protecting and retaining aspects of oncology professionals' work post-pandemic and during future crises or high-pressure situations.

While limitations exist, such as potential selection bias, the study's credibility is strengthened by rigorous methodology and stakeholder engagement (see Table 2). Additionally, while the COVID-19 pandemic is hopefully a unique event, the findings may provide valuable insights applicable to other high-stress situations faced by oncology and related fields. The findings align with international standards for Occupational Health and Safety Management Systems (ISO 45001).⁸ Integrating our insights into policies will be crucial for ESMO and other stakeholders to protect oncology professionals from ongoing stressors and future crises, fostering resilience within the workforce.⁹ Notably, the recommendations offered by respondents have already been incorporated into the ESMO RTF's guidance for managing psychosocial risks, optimising well-being, and reducing burnout in oncology. This paper outlines detailed suggestions for individual health care professionals,

Table 2. Main strengths and limitations of the paper

Strengths	Limitations
Comprehensive data collection: The paper benefits from a substantial volume of qualitative data gathered from multiple waves of surveys conducted among ESMO members. This extensive dataset allows for a thorough exploration of oncologists' perceptions and recommendations regarding their well-being during the COVID-19 pandemic.	Sampling and response bias: Potential biases may arise from the reliance on voluntary responses from ESMO members and non-members, which could skew findings towards individuals with specific perspectives or experiences within the oncology field.
Thorough thematic analysis: The paper employs Braun and Clarke's six-step approach for thematic analysis, ensuring a systematic exploration of qualitative data. This methodological rigour enhances the credibility and robustness of the findings.	Contextual specificity: Findings may be contextually bound to the experiences of oncology professionals within the ESMO network (majority) and the respective country they work in, limiting generalisability across diverse global health care settings or non-ESMO member populations.
Methodological transparency: The paper demonstrates transparency in its methods, detailing the process of data collection, coding, and theme development. This transparency enhances the trustworthiness of the findings by allowing readers to evaluate the reliability and validity of the interpretations.	Temporal constraints: The focus on data collected during specific waves of the COVID-19 pandemic (2020-2021) may restrict applicability to ongoing or future challenges faced by oncologists beyond the acute phases of the pandemic.
Researchers' reflexivity: The inclusion of the team's reflexivity, as evidenced by the discussion of positionality and reflexivity in S1, acknowledges potential biases and enhances the interpretative credibility of the work.	Interpretative subjectivity: Despite efforts to mitigate subjectivity through team discussions and consensus building, interpretative biases among members could influence the identification and interpretation of thematic patterns.
Expertise and collaboration: Led by experienced researchers in organisational health and well-being, the study benefits from interdisciplinary collaboration within the ESMO Resilience Task Force. This expertise contributes to nuanced insights and robust interpretation of findings.	
Original contribution: The paper represents a novel and significant contribution to the field by providing the largest qualitative analysis to date of oncologists' perspectives during the COVID-19 pandemic. It offers insights into the multifaceted factors that impact on oncology professionals' well-being and identifies actionable recommendations for different key stakeholders.	

COVID-19, coronavirus disease 2019; ESMO, European Society for Medical Oncology.

institutions, ESMO, and policymakers at national and societal levels.⁹

ACKNOWLEDGEMENTS

We would like to thank all respondents for taking part in the preceding global survey series. We would also like to thank Francesca Longo and Katharine Fumasoli from the ESMO Head Office for providing vital administrative support.

FUNDING

No external funding has been received for the preparation of this article. Production costs have been covered by ESMO from central funds.

DISCLOSURE

CH reports being Director of a private company Hardy People Ltd., outside the submitted work; speaker honoraria from Pfizer; research grants funded by Sport England, the National Institute of Health Research, Wellbeing of Woman charity, the Economic and Social Research Council, The Grieg Foundation, Institution of Occupational Safety and Health, and the Royal Marsden Cancer Charity. EE has received personal honoraria from Amgen, Bayer, BMS, Boehringer Ingelheim, Cure Teq AG, Hoffman La—Roche, Janssen, Lilly, Medscape, Merck Serono, MSD, Novartis, Organon, Pfizer, Pierre Fabre, Repare Therapeutics Inc., RIN Institute Inc., Sanofi, Seagen International, GmbH, Servier, and Takeda. KK reports speaker honoraria and educational grant from Servier, and advisory board participation and educational grant from Merck. KP has received research grants to institute from Sanofi; speaker fees and honoraria for consultancy and advisory board functions: AstraZeneca, Eli Lilly, Exact Sciences, Focus Patient, Gilead, Medimix, MSD, Novartis, Pfizer, Roche, and Seagen; speaker fees and honoraria for consultancy and advisory board functions to institution: AstraZeneca, Eli Lilly, Exact Sciences, Gilead, MSD, Mundi Pharma, Novartis, Pfizer, Roche, Roularta, and Seagen. CO has received speaker honoraria from AstraZeneca, Asklepios Hamburg, Ipsen, Medac, and Roche; served on advisory boards for Bayer, Ipsen, Novartis, Pfizer, and Sandoz; secondment clinical advisor for Astex Pharmaceuticals. JBAGH serves on advisory board for Achilles Therapeutics, AstraZeneca, BioNTech, Bristol Myers Squibb, CureVac, Eisai, Imcyse, Immunocore, Instil Bio, Iovance Biotherapeutics, Ipsen, Merck Serono, Merck Sharpe & Dohme, Molecular Partners, Neogene Therapeutics, Novartis, Pfizer, PokeAcel, Roche, Sanofi, Scenic, T-Knife, and

Third Rock Venture; research grants from Amgen, Asher Bio, BioNTech US, Bristol Myers Squibb, Merck Sharpe & Dohme, Novartis, and Sastra Cell Therapy; stocks/shares by Neogene Therapeutics and Sastra Cell Therapy; serves in the Editorial Board of Kidney Cancer, ESMO Open and Editor in Chief of IOTECH. KHJL has received funding from the Wellcome-Imperial 4i Clinical Research Fellowship (216327/Z/19/Z) and Crick Postdoctoral Clinical Fellowship, and reports speaker honorarium from Janssen, outside the submitted work. SB reports research grant (institution) from AstraZeneca and GSK; stocks/shares from PerciHealth; honoraria for advisory boards or lectures from Abbvie, Amgen, AstraZeneca, Eisai, Epsilon, GSK, Immunogen, ITM Oncologics Mersana, MSD, Myriad, Novartis, Oncxerna, Regeneron, Roche, Seagen Shattuck Labs Verastem, Clovis, Medscape, Novacure, Peerview, Pfizer, Research to Practice, Takeda, and Zymeworks outside the submitted work. SB is the Chair of the ESMO Resilience Task Force. All other authors have declared no conflicts of interest.

REFERENCES

1. Banerjee S, Califano R, Corral J, et al. Professional burnout in European young oncologists: results of the European Society for Medical Oncology (ESMO) Young Oncologists Committee Burnout Survey. *Ann Oncol*. 2017;28(7):1590-1596.
2. Banerjee S, Lim KHJ, Murali K, et al. The impact of COVID-19 on oncology professionals: results of the ESMO Resilience Task Force survey collaboration. *ESMO Open*. 2021;6(2):100058.
3. Lim KHJ, Murali K, Kamposioras K, et al. The concerns of oncology professionals during the COVID-19 pandemic: results from the ESMO Resilience Task Force survey II. *ESMO Open*. 2021;6(4):100199.
4. Lim KHJ, Murali K, Thorne E, et al. The impact of COVID-19 on oncology professionals-one year on: lessons learned from the ESMO Resilience Task Force survey series. *ESMO Open*. 2022;7(1):100374.
5. Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol*. 2006;3(2):77-101.
6. Braun V, Clarke V, Hayfield N, Terry G. Answers to frequently asked questions about thematic analysis. Available at <https://cdn.auckland.ac.nz/assets/psych/about/our-research/documents/Answers%20to%20frequently%20asked%20questions%20about%20thematic%20analysis%20April%202019.pdf>. Accessed December 20, 2024.
7. Byrne D. A worked example of Braun and Clarke's approach to reflexive thematic analysis. *Qual Quant*. 2022;56(3):1391-1412.
8. British Standards Institution. *BS ISO 45001: 2018: Occupational Health and Safety Management Systems-Requirements with Guidance for Use*. UK: BSI Standards Limited; 2018.
9. Lim KHJ, Kamposioras K, Élez E, et al. ESMO Resilience Task Force recommendations to manage psychosocial risks, optimise well-being, and reduce burnout in oncology. *ESMO Open*. 2024;9(10):103634.