

Supplementary Material 2: Segments affected according to Syntax classification.

	Lesions (n=380)
Segment affected by Syntax, n (%)	
<i>1. RCA proximal</i>	24 (6.3%)
<i>2. RCA mid</i>	33 (8.7%)
<i>3. RCA distal</i>	16 (4.2%)
<i>4. Posterior descending from RCA</i>	7 (1.8%)
<i>5. Left main</i>	4 (1.1%)
<i>6. LAD proximal</i>	64 (16.8%)
<i>7. LAD mid</i>	128 (33.7%)
<i>8. LAD distal</i>	16 (4.2%)
<i>9. First diagonal</i>	14 (3.7%)
<i>10. Second diagonal</i>	3 (0.8%)
<i>11. Proximal LCx</i>	26 (6.8%)
<i>12. Intermediate</i>	1 (0.2%)
<i>12a. Obtuse marginal a</i>	19 (5.0%)
<i>12b. Obtuse marginal b</i>	10 (2.6%)
<i>13. Distal LCx</i>	9 (2.4%)
<i>14. Left posterolateral</i>	1 (0.2%)
<i>14b. Left posterolateral b</i>	1 (0.2%)
<i>15. Posterior descending from LCx</i>	2 (0.5%)
<i>16a. Posterolateral from RCA a</i>	2 (0.5%)

RCA, right coronary artery; LAD, left anterior descending artery; LCx, left circumflex artery