Supplementary

Table S1. PRISMA checklist

| Section/topic | # | Checklist item | Reported on page # | | |
|------------------------------------|---|---|--------------------|--|--|
| TITLE | | | | | |
| Title | 1 | Identify the report as a systematic review, meta-analysis, or both. | 1 | | |
| ABSTRACT | | | | | |
| Structured summary | 2 | Provide a structured summary including, as applicable: background; objectives; data sources; study eligibility criteria, participants, and interventions; study appraisal and synthesis methods; results; limitations; conclusions and implications of key findings; systematic review registration number. | | | |
| INTRODUCTION | | | | | |
| Rationale | 3 | Describe the rationale for the review in the context of what is already known. | | | |
| Objectives | 4 | Provide an explicit statement of questions being addressed with reference to participants, interventions, comparisons, outcomes, and study design (PICOS). | | | |
| METHODS | | | | | |
| Protocol and registration | 5 | Indicate if a review protocol exists, if and where it can be accessed (e.g., Web address), and, if available, provide registration information including registration number. | | | |
| Eligibility criteria | 6 | Specify study characteristics (e.g., PICOS, length of follow-up) and report characteristics (e.g., years considered, language, publication status) used as criteria for eligibility, giving rationale. | | | |
| Information sources | 7 | Describe all information sources (e.g., databases with dates of coverage, contact with study authors to identify additional studies) in the search and date last searched. | | | |
| Search | 8 | Present full electronic search strategy for at least one database, including any limits used, such that it could be repeated. | | | |
| Study selection | 9 State the process for selecting studies (i.e., screening, eligibility, included in systematic review, and, if applicable, included in the meta-analysis). | | 4 | | |
| Data collection process | 10 | O Describe method of data extraction from reports (e.g., piloted forms, independently, in duplicate) and any processes for obtaining and confirming data from investigators. | | | |
| Data items | 11 | List and define all variables for which data were sought (e.g., PICOS, funding sources) and any assumptions and simplifications made. | | | |
| Risk of bias in individual studies | 12 | Describe methods used for assessing risk of bias of individual studies (including specification of whether this was done at the study or outcome level), and how this information is to be used in any data synthesis. | | | |
| Summary measures | 13 | State the principal summary measures (e.g., risk ratio, difference in means). | | | |
| Synthesis of results | 14 | Describe the methods of handling data and combining results of studies, if done, including measures of consistency (e.g., I ²) for each meta-analysis. | | | |

| Section/topic | # | Checklist item | | |
|---|----|--|--|--|
| Risk of bias across studies | 15 | Specify any assessment of risk of bias that may affect the cumulative evidence (e.g., publication bias, selective reporting within studies). | | |
| Additional analyses | 16 | Describe methods of additional analyses (e.g., sensitivity or subgroup analyses, meta-regression), if done, indicating which were pre-specified. | | |
| RESULTS | | | | |
| Study selection | 17 | Give numbers of studies screened, assessed for eligibility, and included in the review, with reasons for exclusions at each stage, ideally with a flow diagram. | | |
| Study characteristics | 18 | For each study, present characteristics for which data were extracted (e.g., study size, PICOS, follow-up period) and provide the citations. | | |
| Risk of bias within studies | 19 | Present data on risk of bias of each study and, if available, any outcome level assessment (see item 12). | | |
| Results of individual studies | 20 | For all outcomes considered (benefits or harms), present, for each study: (a) simple summary data for each intervention group (b) effect estimates and confidence intervals, ideally with a forest plot. | | |
| Synthesis of results | 21 | Present results of each meta-analysis done, including confidence intervals and measures of consistency. | | |
| Risk of bias across studies | 22 | Present results of any assessment of risk of bias across studies (see Item 15). | | |
| Additional analysis | 23 | Give results of additional analyses, if done (e.g., sensitivity or subgroup analyses, meta-regression [see Item 16]). | | |
| DISCUSSION | | | | |
| Summary of evidence | 24 | Summarize the main findings including the strength of evidence for each main outcome; consider their relevance to key groups (e.g., healthcare providers, users, and policy makers). | | |
| Limitations | 25 | Discuss limitations at study and outcome level (e.g., risk of bias), and at review-level (e.g., incomplete retrieval of identified research, reporting bias). | | |
| Conclusions | 26 | Provide a general interpretation of the results in the context of other evidence, and implications for future research. | | |
| FUNDING | | | | |
| Funding 27 Describe sources of funding for the systematic review and other support (e.g., supply of data); role of funders for the systematic review. | | | | |

From: Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 6(7): e1000097. doi:10.1371/journal.pmed1000097

Table S2. Quality assessment

| Author (year) | Study design | STROBE score (%) | CONSORT score (%) |
|--------------------------------|----------------|------------------|-------------------|
| Chung et al. (2020) | cohort | 83 | |
| Korayem et al. (2020) | cohort | 68 | |
| Mudzviti et al. (2019) | cohort | 77 | |
| Gupta et al. (2019) | clinical trial | | 67 |
| Noh et al. (2019) | cross sect | 77 | |
| Sun et al. (2018) | clinical trial | | 79 |
| Simkins et al. (2017) | cross sect | 60 | |
| Gray et al. (2016) | cross sect | 73 | |
| Yamin et al. (2016) | cohort | 80 | |
| Codecasa et al. (2014) | cross sect | 63 | |
| Rangaka et al. (2014) | clinical trial | | 71 |
| Chang et al. (2014) | cross sect | 77 | |
| Taylor et al. (2013) | cohort | 77 | |
| Jimenez-Fuentes et al. (2013) | clinical trial | | 63 |
| Stucchi et al. (2012) | cross sect | 53 | |
| Chan et al. (2012) | clinical trial | | 78 |
| Fresard et al. (2011) | cohort | 67 | |
| Samandari et al. (2011) | clinical trial | | 71 |
| Naqvi et al. (2010) | clinical trial | | 47 |
| Gray et al. (2010) | cohort | 63 | |
| Devrim et al. (2010) | cohort | 27 | |
| Young et al. (2009) | cross sect | 67 | |
| Ekochin et al.(2009) | cohort | 37 | |
| Menzies et al. (2008) | clinical trial | | 84 |
| Geijo et. al (2007) | clinical trial | | 59 |
| Jahng et al. (2007) | cohort | 57 | |
| Page et al. (2006) | cross sect | 77 | |
| Vuilleumier et al. (2006) | cohort | 53 | |
| Vikrant et al. (2005) | clinical trial | | 71 |
| Tortajada et al. (2005) | clinical trial | | 78 |
| McNeill et al. (2003) | cohort | 53 | |
| Fernandez-Villar et al. (2003) | cohort | 60 | |
| Leung et al. (2003) | clinical trial | | 63 |
| Jasmer et al. (2002) | clinical trial | | 79 |
| Sadaphal et al. (2001) | cohort | 70 | |

Appendix 1. Citations for studies included in meta-analysis